



D13/D16/D19


D19/D25

		D13	D16	D19	D25
orifice size	mm	3	3	3	3
de ave la sth	max	100	100	130	155
sleeve length	min	50	50	50	50

		Tube Hea	d & Cap			
	No.	Material	D13	D16	D19	D25
butterfly tip	а	HDPE	•	•	•	
nound tip (unreusable)	b	HDPE			•	•
round tip (reusable)	c	HDPE				•








		Nozzle tip	Slant tip
orifice size	mm	1	1.5
closure longth	max	100	100
sleeve length	min	50	50

	Tube He	ead & Cap	
	No.	Material	D16
spire cap	а	PP	•
connector	b,c	PP	• • • • • •
inner cap	а	PP	•






		D25	D30	D35	D40
dosage	ml	0.23	0.23	0.23	0.23
cloove length	max	175	175	175	175
sleeve length	min	50	50	50	50

			Tube Head &	& Cap			
		No.	Material	D25	D30	D35	D40
square cap	with rib	a,b	PP/PCTA	•	0		
🔵 dome cap		a,b	РСТА	•	0		
flat cap	i.	a,b	РСТА	٠	0		
square cap	)	a,b,c,d	PP	•	0	•	0

• cap is flush with tube O cap is not flush with tube





# **YH Series**



a	b	c	d	e
	<b>(</b>			
D35	D35	D40	D40	D40
		D35		D40
orifice size	mm	D35 3		D40 3
orifice size sleeve length	mm max			D40 3 180

	Tub	e Head & Cap		
TIC TO BIOLEN	No.	Material	D35	D40
rhombus cap	a	PP	•	
hexagon cap	b	РР	•	
rectangle cap	c	PP		•
pentagon cap	d	РР		•
octagon cap	e	PP		

### 165

## **YH Series**






D13

D13

a



b

D16

с




D16/D19



e

f

D19





D19



D13/D16

		D13	D16	D19	D22
orifice size	mm	1.5	1.5	1/1.5	1/1.5
ele euro le en este	max	70	90	130	150
sleeve length	min	45	45	50	50

## PACHAGING & D E S I G N YH Series

## Slant Tip Tube >>

				Tube Head &	Сар			
			No.	Material	D13	D16	D19	D22
	0	round cap	b,j	PP		٠	٠	0
standard slant tip	0	square cap	a,b,j	РР	•	•	•	0
d slant ti	۲	rib cap	j	PP			•	0
q	0	loop cap	j	РР	•		•	0
	<b>R</b>	disco ball cap	j	PP			•	
		round cap	1	РР	•			
fat slant tip		long round cap (overshell)	Ι	PP +alnminum	٠			
nt tip	0	round cap	с	РР		•		
	0	dome cap	e	PP			•	
soft	0	cylindrical cap	h,k	РР	•	•	•	
tip		round cap	i	PP			•	
massage tip	0	round cap	g	РР			•	
tip	0	round cap	f	РР			•	
lon	0	stand up cap	d	РР		•	•	
long tip	0	conical cap	d	PP		٠	•	













k





D35



i

D40



I

D55



D60

		D13	D16	D19	D22	D25	D30
orifice size	mm	1/2/4	2/4	2/3/5	1/2/3/5	2/3	1.5/2/3/4/5
sleeve length	max	90	90	120	145	150	165
sieevelengui	min	50	50	50	50	50	50

D45

j

		D35	D38	D40	D45	D50	D55	D60
orifice size	mm	2/3/5/8	2/3/5/8	2/3/5/8	2/3/5/8	2/3/5/8	2/3/5/8	2/3/5/8
sleeve length	max	200	195	195	195	200	210	205
sieeve iengun	min	50	50	50	50	50	50	50

## Round Tube With Screw on cap

			112		Τι	ube H	lead &	& Cap						R	
	No.	Material	D13	D16	D19	D22	D25	D30	D35	D38	D40	D45	D50	D55	D60
<b>SO13G</b>	а	PP	•												
<b>SO16G</b>	b	PP		•											
S019G/M	c,d	PP			•	0									
SOFA	d,e	PP				0	0								
SOFB	d,e	PP				0	0								
SO22G	d	PP				•									
S025G	e	PP					•								
SO25T	е	PP					•								
SO25R	е	PP					•								
SO30G/M	f	PP						•							
SO30R	f,g	PP						•	0						
S01705W	f,h	PP						0		0					
SO35G/M	g,h,k	PP							٠	0			0		
SOOCT	f,h	PP							0	0	0				
SO38G	h	PP								•					
SO40G/M	i	PP									•				
<b>SO45G</b>	j	PP										•			
SO50G/M	k,l	PP											•	0	
SO50R	k,l	PP											•	0	
SO55G	l,m	PP												•	0
2 SO30G	f	PP						•							
SO35G	g	PP							•						
SO50G	k	PP													

**YH Series** 

1















D40



D45









D30



D38/D40/D45

p

D38/D40/D45

		D25	D30	D35	D38	D40
orifice size	mm	2/3	1.5/2/3/4/5	2/3/5/8	2/3/5/8	2/3/5/8
closus longth	max	150	165	200	195	195
sleeve length	min	50	50	50	50	50
		D45	D5(	)	D55	D60
orifice size	mm	2/3/5/8	2/3/		2/3/5/8	2/3/5/8
ele ave lan eth	max	195	200		210	205
sleeve length	min	50	50		50	50

MATERIAL: LDPE, MDPE, HDPE, COEX EVOH, SOFT 7899 CHOP20R



			Tub	be Hea	d & Ca	р					
	No.	Material	D25	D30	D35	D38	D40	D45	D50	D 5 5	D60
FT0195G/M	e	PP	•								
FT0128G/M	f	PP		•							
TE0208G	n	PP		•							
FT0309G/M	g,h,k	PP			•	0			0		
FT0404G	g,k	РР			٠				0		
FT0126G	g,h,i,k	PP			•	0	0		0		
SN0405G	0	PP				•	0	0			
FT0194G/M	i	PP					•				
SN0121G	р	PP				•	0	0			
FT0376G	j	PP						•			
FT0170G/M	k,l	PP							•	0	
FT0269G/M	k,I	PP							•	0	
FT0193G	m	PP									•
DD35G	g	PP			•						
DD50G	k	PP							•		

• cap is flush with tube O cap is not flush with tube

# Tube in Tube



**I** Series



D10 round+D19 round



D13 oval+D19 round



D19 oval + D30 oval


		D10+D19	D13+D19	D19+D30
orifice size	mm	1.8	1.8	1.5x2
sleeve length	max	95	95	170
siceve length	min	50	50	50

A STATISTICS		Tube Hea	d & Cap		
	No.	Material	D10+D19	D13+D19	D19+D30
round stand up cap	a,b	PP	•	•	
oval stand up cap	c	РР			•



# Oval Tube





		D13	D16	D25	D30	D35	D40	D50
orifice size	mm	1.5/2	1.5/2	1/1.5/2	1.5/2	2/3	3/5/7	3/5/7
alagua langth	max	60	65	130	130	135	175	205
sleeve length	min	50	50	50	50	50	50	50

and the second second		Tub	e Head	& Cap					
	No.	Material	D13	D16	D25	D30	D35	D40	D50
oval screw cap	a,b,c,d e,f,g	PP	•	•	٠	•	٠	•	•
oval flip top cap	f,g	PP						•	•
Cylindrical dual cap	k	PP			0				
oval dual cap	d	PP+SAN				•			
flat oval cap	IJ	PP				•	•		
long cap	h	РР			•				
🕥 dual-layer cap	1	PP	Page 14 of	26		•			







		D16	D19	D22	D25
orifice size	mm	1	1/1.5/2/2.3	1/1.5/2/2.3	1/1.5
	məx	105	150	150	160
sleeve length	min	50	50	50	50

Series States		Tube Hea	d & Cap			
	No.	Material	D16	D19	D22	D25
dome cap	b,c	РР		•	0	
square cap	b,c	рр		•	0	
round stand up cap	а	PP	•			
Cone cap	d	PE				•
square stand up cap	e	PP				•

• cap is flush with tube Ocap is not flush with tubepage 15 of 26









	4	0
		ч

		D16	D19
orifice size	mm	3.8	3.9/4.3
sleeve length	max	75	120
	min	50	50

		Tube Head & O	Гар	
	No.	Material	D16	D19
ode foot lip gloss	a,b	multi	•	•
yeye liner	a,b	multi	•	•
mascara	a,b	multi	•	•









D19,

D19/D40



D13-D35



d






D19





		D10	D13	D16	D19	D22	D25	D30	D35	D38	D40
orifice size	mm	N/A	1	1	1	1	1	1	1	1	N/A
sleeve length	max	90	110	120	130	140	165	170	170	195	195
	min	50	50	50	50	50	50	50	50	50	50




12000		Tu	ibe Hea	ad & C	ар							
	No.	Material	D10	D13	D16	D19	D22	D25	D30	D35	D38	D40
plug cap	g	PP	0									
O cone cap	d	РР				•	•					
Cylindrical cap	d	PP				•	•	0				
dual cap	d	PP				•	0	0				
bullet cap	d	PP				•	0	0				
Cylindrical cap	с	PP			0	0	0	0		0		
spire cap	с	PP		0	0	0	0	0		0		
trumpet cap	с	РР					•					
stair trumpet cap	с	РР					•					
bullet cap	а	PP							•		•	•
stand up cap	а	PP										•
pointed cap	f	РР				•						
O no cap	b	N/A										•
stand up cap	е	PP				•						

• cap is flush with tube O cap is not flush with tube



**Roller Ball Tube** 









D19

С

		D16	D19
orifice size	mm	2	2
sleeve length	max	120	120
	min	50	50

		Tube Head & Ca	ар	1. 2. 2
	Ntr.	Material	D16	D19
stand up cap	a,b	РР	•	•
stand up screw cap	с	РР		•
🕐 metal ball	a,b	316L	٠	•
plastic ball	a,b	рр		•
glass ball	a,b	glass	•	•









		D30	D50
orifice size	mm	1.2x6	0.8x25
clasus langth	max	130	200
sleeve length	min	50	50

a lite and a star	12/- 7	Tube Head & C	ар	
	No.	Material	D30	D50
oval stand up cap	а	PP	•	
round stand up cap	b	рр		•








		D50	
orifice size	mm	"X" cut	
sleeve length	max	200	
siceve lengui	min	50	

REAL AND	Т	ube Head & Cap	
	No.	Material	D50
stand up cap	а	PP	•
pulling ring	а	РР	•








		D16	D17	D19	D30
orifice size	mm	1.5	3	1.5	3
sleeve length	max	90	125	125	130
iceve iengen	min	45	50	50	50

		Tube	Head & Cap	D		
	No.	Material	D16	D17	D19	D30
stand up cap	a,b,c,d	РР	•	•	•	







		Material & Suita	able Tube Size		
	No.	Material	D19	D30	D50
Crimp Bar	а	ABS	•		
Hanging Hook	b	РР			•
Crimp Bar	c	ABS		•	

	Length mm		Φ16	Φ19	Φ22	Φ25	Φ 30	Φ35	Φ38	Φ40	Φ45	Φ 50	Φ55	Φ60
3		50						-						
5		60												
6 8		70 85	70					-		-		-1.10		
10		00	75	55			_							
12			80	65						1	& 🗆		510	36
15				80	67									
17				90	75							VH	Se	rio
20					85	70							UC	IIC.
25						80								
30						90	75							
35						100	82							
40						110	90							
45						120	98							
50						130	105							
55							113	105						
60 65							121 129	105						
70							129	110 115						
75							137	120	110	105				
80								125	115	110				
85								130	120	115				
90								135	125	120				
95								140	130	125	100			
100								145	135	130	105			
110								155	145	140	115			
120								165	155	150	125			
125									160	155	130			
130									165	160	145			
135									170	165	150			
140									175	170	155			
145 150									180	175	160			
155										180 185	165 170			
160										100	175			
165											180			
170											185			
175											190			
120												105		
125												108		
130												111		
135												114		
140												117		
145												120		
150												123		
155 160												126		
165												129		
170												132 135	120	
175												135	120	
180												141	125	
185												144	129	
190												147	133	
195												150	137	
200												153	140	120
210												159	147	125
220												165	154	130
230												171	161	135
240												177	168	140
250												183	175	145
260												190	182	150
270 280														155
280														160
300														165
300														170 175
320														175
330														185
340														190
350														195
360														200





**YH Series**