

# PACHAGING

# **CH SERIES**







PET 48-200

PET II4-300

PET 23-100

PET 62-150





| Item        | Capacity | Α      | В      | C    | D      | W   | est area | Materia |
|-------------|----------|--------|--------|------|--------|-----|----------|---------|
| PET II4-300 | 300ml    | 168mm  | 17mm   | 24mm | 51.5mm | 1   | 130mm    | PET     |
| PET 48-200  | 200ml    | 130mm  | 17mm   | 24mm | 48mm   | 1   | 90mm     | PET     |
| PET 62-150  | 150ml    | 114mm  | 17mm   | 24mm | 45.5mm | T.  | 80mm     | PET     |
| PET 61-100  | 100ml    | 96.3mm | 16.2mm | 24mm | 44mm   | 1   | 65mm     | PET     |
| PET 23-100  | 100ml    | 98.5mm | 16.5mm | 24mm | 40mm   | - 1 | 63mm     | PET     |



PET 72-150



| Item        | Capacity | Α       | В      | С    | D      | W Pro | tares H | Material |
|-------------|----------|---------|--------|------|--------|-------|---------|----------|
| PET 72-150  | 150ML    | III.6mm | 20.4mm | 42mm | 48mm   | 1     | 90mm    | PET      |
| PET 164-150 | I50ML    | 128mm   | 17mm   | 24mm | 42.3mm | 1     | 108mm   | PET      |
| PET 26-120  | 120ML    | 103mm   | 17mm   | 24mm | 42.3mm | 1     | 85mm    | PET      |
| PET 27-100  | IOOML    | 93mm    | 12.5mm | 24mm | 42.3mm | 1     | 65mm    | PET      |





ISO CERTIFICATED PET 144-250





| Item        | Capacity | Α       | В      | С    | D       | W | eteres H | Material |
|-------------|----------|---------|--------|------|---------|---|----------|----------|
| PET 89-500  | 500ML    | 175mm   | 17mm   | 24mm | 64mm    | 1 | 132mm    | PET      |
| PET 144-250 | 250ML    | 125mm   | 17mm   | 24mm | 58mm    | 1 | 95mm     | PET      |
| PET 20-235  | 235ML    | 100.5mm | 16mm   | 24mm | 58mm    | 1 | 70mm     | PET      |
| PET 15-150  | I50ML    | 87.5mm  | 17.5mm | 24mm | 57.8lmm | 1 | 32mm     | PÉT      |



Shanghai chuanhe packing control is one of the left in china, and products in China, and advanced equipment to advanced equipment to product have been advanced equipment to product have been and safe packaging products with have been mainly produces PET.

preform and cap, BOPET preform and cap, BOPET.



PET 126-300



Shanghai chuanhe packin Co. Ltd. is one of
the products in Ch. urand flexible packaging
products in China, and
has world's most
advanced equipment to
advanced equipment to
and safe packaging
products is shanghai
mainly produces PET.
preform and cap, BOPET
preform and cap, BOPET



PET 148-240








Capacity 300ml 240ml Material PET

| Item        | Capacity | A     | В      | С    | D    | Е    | VA/  | tarea H | Material |
|-------------|----------|-------|--------|------|------|------|------|---------|----------|
| PET 148-240 | 240ML    | 138mm | 17mm   | 24mm | 42mm | 64mm | 40mm | 100mm   | PET      |
| PET 126-300 | 300ML    | 145mm | 19,5mm | 24mm | 45mm | 75mm | 38mm | 95mm    | PET      |



PET 128-500



| Item        | Capacity | Α       | В      | C    | D      | W # | OFF H   | Material |
|-------------|----------|---------|--------|------|--------|-----|---------|----------|
| PET 128-500 | 500ML    | 151.5mm | 17mm   | 24mm | 68mm   | 1   | 123.5mm | PET      |
| PET 8-300   | 300ML    | 140mm   | 17mm   | 24mm | 55.3mm | 1   | II5mm   | PET      |
| PET 100-200 | 200ML    | 123mm   | 16mm   | 24mm | 5lmm   | 1   | 95mm    | PET      |
| PET 164-150 | 150ML    | 128mm   | 17mm   | 24mm | 42.3mm | 1   | (08mm   | PET      |
| PET 21-100  | IDOML    | 102.8mm | 16.2mm | 24mm | 38.5mm | 1   | 83mm    | PET      |
| PET 130-60  | 50ML     | 75mm    | 15mm   | 24mm | 33mm   | 7   | 60mm    | PET      |





Capacity 200ml (50ml (00ml) Material PET

| Item       | Capacity | А      | В      | C    | D      | W | т Н  | Material |
|------------|----------|--------|--------|------|--------|---|------|----------|
| PET 48-200 | 200ML    | 130mm  | 17mm   | 24mm | 48mm   | / | 90mm | PET      |
| PET 62-150 | 150ML    | 114mm  | 17mm   | 24mm | 45.5mm | 1 | 80mm | PET      |
| DET BL JOD | IODM     | Q6 3mm | IS 2mm | 24mm | 44mm   | 1 | SSmm | DET      |



PET 19-150



| Item       | Capacity | Α     | В    | C    | Ð    | E    | W Pile |       | Material |
|------------|----------|-------|------|------|------|------|--------|-------|----------|
| PET 49-200 | 200ML    | 13lmm | 17mm | 24mm | 43mm | 56mm | 37mm   | 105mm | PET      |
| PET 95-150 | 150ML    | 123mm | 18mm | 24mm | 35mm | 53mm | 37mm   | 96mm  | PET      |
| PET 19-150 | 150ML    | Hümm  | 18mm | 24mm | 39mm | 58mm | 42mm   | 83mm  | PET      |
| PET 94-120 | 120ML    | 120mm | 18mm | 24mm | 36mm | 54mm | 37mm   | 80mm  | PET      |







PET 158-160





PET 159-210

Calgoria / 20ml (60ml (20ml

hadren BET



|  | 16mm |  |  |  |
|--|------|--|--|--|
|  |      |  |  |  |
|  |      |  |  |  |

#### PACHAGING & D E S I G N CH SERIES



PET 61-100



PET II4-300



PET 62-150



PET 48-200



PET 150-280

| 300mt | 200ml (50ml (00ml 280ml |  |
|-------|-------------------------|--|
|       |                         |  |
|       |                         |  |

| E | 具 | 具 |  |
|---|---|---|--|
|   |   |   |  |

| PET 114-300 |       |  |  |  |  |
|-------------|-------|--|--|--|--|
|             |       |  |  |  |  |
|             |       |  |  |  |  |
|             | IOOM. |  |  |  |  |
|             |       |  |  |  |  |





| — Capaci<br>Materia | ty 300ml 200ml I<br>II PET | 50ml 100ml 60 | )ml |   |   |    |      |   | Print area |
|---------------------|----------------------------|---------------|-----|---|---|----|------|---|------------|
| Item                | Canacity                   | Δ             | В   | 0 | n | TE | 1/1/ | ш | Mata       |

| Item        | Capacity | Α     | В      | С    | D    | E    | W Post | ium H | Material |
|-------------|----------|-------|--------|------|------|------|--------|-------|----------|
| PET 155-300 | 300ML    | 132mm | 17mm   | 24mm | 46mm | 67mm | 38mm   | 100mm | PET      |
| PET 12-200  | 200ML    | II6mm | 16.5mm | 24mm | 4lmm | 58mm | 38mm   | 85mm  | PET      |
| PET II-160  | 150ML    | 87mm  | 17mm   | 24mm | 4lmm | 58mm | 35mm   | 60mm  | PET      |
| PET 77-100  | IDOML    | 73mm  | 17mm   | 24mm | 40mm | 57mm | 34mm   | 58mm  | PET      |
| PET 139-65  | 60ML     | 70mm  | 16mm   | 18mm | 30mm | 44mm | 23mm   | 43mm  | PET      |





Capacity (00ml (00ml (00ml (00ml Material PET)



| Item       | Capacity | А      | В      | С    | O    | W see | min H | Material |
|------------|----------|--------|--------|------|------|-------|-------|----------|
| PET 23-100 | 100ML    | 98.5mm | 16.5mm | 24mm | 40mm | 1     | 63mm  | PET      |
| PET 23-100 | 100ML    | 98.5mm | 16.5mm | 24mm | 40mm | 1     | 63mm  | PET      |
| PET 23-100 | 100ML    | 98.5mm | 16.5mm | 24mm | 40mm | 1+    | 63mm  | PET      |
| PET 23-100 | 100ML    | 98.5mm | 16.5mm | 24mm | 40mm | 1     | 63mm  | PET      |









Capacity 300ml 200ml 250ml Material PET

|             |       | В    |      |      |  |
|-------------|-------|------|------|------|--|
|             | 300ML |      |      | 95mm |  |
| PET 134-200 | 200ML | 12mm |      | 74mm |  |
| PET 170-250 | 25DML |      | 60mm |      |  |






PET II8-I20





PET 72-150

Capacity 250ml (50ml (20ml



|             |       |         | В      |        |        |   | H.   | Material |
|-------------|-------|---------|--------|--------|--------|---|------|----------|
| PET 25-250  | 250ML | 115.3mm | 13,7mm | 39.4mm | 48mm   | 1 | 68mm | PET      |
|             | 150ML | 111.5mm | 20.5mm | 42.2mm | 42.3mm |   | 90mm | PET      |
| PET II8-120 | 120ML | 95mm    | 20,5mm | 42.2mm | 42.3mm |   | 77mm | PET      |









|  | £          |
|--|------------|
|  | Prim       |
|  | Print area |

| 項目 item     | 容量 Capacity | Α     | В    | С    | D      | W Min | DEMA H | Material |
|-------------|-------------|-------|------|------|--------|-------|--------|----------|
| PET 159-210 | 210ML       | II5mm | 16mm | 24mm | 53.6mm | 1.    | 88mm   | PET      |
| PET 158-160 | 160ML       | 92mm  | 16mm | 24mm | 53.6mm | - /   | 66mm   | PET      |
| PET 149-120 | 120ML       | 90mm  | 16mm | 24mm | 48,5mm | 1     | 66mm   | PET      |





Capacity 500ml 300ml 250ml 235ml 300ml Material PET PE



| Item        | Capacity | A       | В       | С    | D      | W   | term H | Material |
|-------------|----------|---------|---------|------|--------|-----|--------|----------|
| PET 89-500  | 500ML    | 175mm   | 17mm    | 24mm | 64mm   | 1   | 132mm  | PET      |
| PET 154-300 | 300ML    | 172mm   | ,15.5mm | 24mm | 53.5mm | 1   | 105mm  | PET      |
| PET 144-250 | 250ML    | 125mm   | 17mm    | 24mm | 58mm   | 1   | 95mm   | PET      |
| PET 20-235  | 235ML    | 100.5mm | 16mm    | 24mm | 58mm   | 11: | 70mm   | PET      |
| PE 86-300   | 300ML    | 120.5mm | 16mm    | 24mm | 63,6mm | 1   | 63mm   | PE       |

#### PACHAGING &DESIGN **CH SERIES**







PET 164-150


| Capacity 200ml 150ml 120ml 100ml 30ml | Print area |
|---------------------------------------|------------|
| Material PET                          |            |

| Item        | Capacity | A       | В      | C    | D      | W  | dan H | Material |
|-------------|----------|---------|--------|------|--------|----|-------|----------|
| PET 153-200 | 200ML    | 153,5mm | 17mm   | 24mm | 44mm   | 1  | 125mm | PET      |
| PET 164-150 | 150ML    | 128mm   | 17mm   | 24mm | 42,3mm | 1. | 108mm | PET      |
| PET 26-120  | 120ML    | 103mm   | 17mm   | 24mm | 42.3mm | 1  | 85mm  | PET      |
| PET 27-100  | 100ML    | 102.8mm | 16.2mm | 24mm | 38.5mm | T  | 83mm  | PET      |
| PET 16-30   | 30ML     | 64,8mm  | 15.2mm | 24mm | 27,5mm | /  | 50mm  | PET      |






Capacity 300ml 200ml I50ml I00ml 60ml Material PET



| Item        | Capacity | А     | В      | C    | D    | E    | W Pro | Н     | Material |
|-------------|----------|-------|--------|------|------|------|-------|-------|----------|
| PET 155-300 | 300ML    | 132mm | 17mm   | 24mm | 46mm | 67mm | 38mm  | 100mm | PET      |
| PET 12-200  | 200ML    | IJ6mm | 16.5mm | 24mm | 4lmm | 58mm | 38mm  | 85mm  | PET      |
| PET II-158  | 150ML    | 87mm  | 17mm   | 24mm | 4lmm | 58mm | 35mm  | 60mm  | PET      |
| PET 77-100  | 100ML    | 73mm  | 17mm   | 24mm | 40mm | 57mm | 34mm  | 58mm  | PET      |
| PET 139-65  | 60ML     | 70mm  | 16mm   | 18mm | 30mm | 44mm | 23mm  | 43mm  | PET      |



Capacity (60m) (30m)



| ttem      | Capacity | Α     | В    | С    | D    | W in | tom H | Material |
|-----------|----------|-------|------|------|------|------|-------|----------|
| PET 6-160 | 160ML    | 135mm | 2lmm | 22mm | 44mm | 1    | 97mm  | PET      |
| PET 7-130 | 130ML    | H6mm  | 20mm | 22mm | 44mm | 7    | 80mm  | PET      |





PET 10-120



PET 148-240

120ML

235ML

PET 10-120

PET 148-240

| ly (20ml 240ml<br>I PET |   |   |   |   |   | T T            | Print area |
|-------------------------|---|---|---|---|---|----------------|------------|
| Capacity                | A | В | С | D | E | W Print area H | Materio    |













PET II4-300

Standard Cont.

PET 62-150

Capacity 300ml 200ml I50ml I00ml 30ml Material PET




| Item        | Capacity | A      | В    | С    | D      | W | tree H | Material |
|-------------|----------|--------|------|------|--------|---|--------|----------|
| PET II4-300 | 300ML    | 168mm  | 17mm | 24mm | 51,5mm | 1 | 130mm  | PET      |
| PET 48-200  | 200ML    | 130mm  | 17mm | 24mm | 48mm   | 1 | 90mm   | PET      |
| PET 62-150  | 150ML    | III4mm | 17mm | 24mm | 45.5mm | 1 | 80mm   | PET      |
| PET 61-100  | 100ML    | 96.3mm | 17mm | 24mm | 44mm   | 1 | 65mm   | PET      |
| PET 99-30   | 30ML     | 61.5mm | 15mm | 18mm | 29mm   |   | 42mm   | PET      |





PET 22-280

PET 161-200



| Item        | Capacity | А       | В      | С    | D      | E      | W Press | ores H | Material |
|-------------|----------|---------|--------|------|--------|--------|---------|--------|----------|
| PET 22-280  | 280ML    | 108mm   | 20mm   | 24mm | 55mm   | 50mm   | 36mm    | 84mm   | PET      |
| PET 81-250  | 250ML    | 146mm   | 17.5mm | 24mm | 43.6mm | 69.3mm | 40mm    | 110mm  | PET      |
| PET 161-200 | 200ML    | 126,5mm | 16mm   | 24mm | 49,5mm | 49.5mm | 30mm    | 105mm  | PET      |





Capacity I50ml I00ml I20ml I00ml Material PET



| Item        | Capacity | A       | В      | С    | D      | W   | н Н   | Material |
|-------------|----------|---------|--------|------|--------|-----|-------|----------|
| PET II6-150 | 150ML    | 134mm   | 16.5mm | 24mm | 42.3mm | 1   | 108mm | PET      |
| PET 117-100 | 100ML    | 90mm    | 12.5mm | 24mm | 42.3mm | 1.  | 77mm  | PET      |
| PET 26-120  | 120ML    | 103mm   | 17mm   | 24mm | 42.3mm | /   | 85mm  | PET      |
| PET 27-100  | 100ML    | 102,8mm | 16.2mm | 24mm | 38.5mm | - / | 83mm  | PET      |








| Item        | Capacity | A      | В    | С    | 0      | VV/ | тича Н | Material |
|-------------|----------|--------|------|------|--------|-----|--------|----------|
| PET II4-300 | 300ML    | 168mm  | 17mm | 24mm | 51.5mm | 1.  | 130mm  | PET      |
| PET 48-200  | 200ML    | 130mm  | 17mm | 24mm | 48mm   | /   | 90mm   | PET      |
| PET 62-150  | 150ML    | III4mm | 17mm | 24mm | 45,5mm | 7:  | 80mm   | PET      |
| PET 61-100  | 100ML    | 96.3mm | 17mm | 24mm | 44mm   | 1:  | 65mm   | PET      |
| PET 99-30   | 30ML     | 61.5mm | 15mm | 18mm | 29mm   | /   | 42mm   | PET      |





Capacity 210ml 160ml 120ml Material PET

| ltem        | Capacity | A    | В    | C    | D      | W  | ten H | Material |  |  |
|-------------|----------|------|------|------|--------|----|-------|----------|--|--|
| PET 159-210 | 210ML    | H5mm | I6mm | 24mm | 53.6mm | -1 | 88mm  | PET      |  |  |
| PET 158-160 | 160ML    | 92mm | 16mm | 24mm | 53.6mm | 1  | 66mm  | PET      |  |  |
| PET 149-120 | 120ML    | 90mm | 16mm | 24mm | 48.5mm | 1  | 66mm  | PET      |  |  |





Capacity 30ml 25ml 20ml 15ml 10ml 8ml 5ml 6g Material PET



| Item       | Capacity | A      | В      | С      | D      | E      | W    | н Н  | Material |
|------------|----------|--------|--------|--------|--------|--------|------|------|----------|
| PET 16-30  | 30ML     | 60.8mm | 15,2mm | 18mm   | 27.5mm | 1      | 1    | 50mm | PET      |
| PET 99-30  | 30ML     | 61.5mm | I5mm   | 18mm   | 29mm   | W.     | 1    | 42mm | PET      |
| PET 2-30   | 30ML     | 53mm   | 15mm   | IBmm   | 26.6mm | 33.5mm | 20mm | 34mm | PET      |
| PET 41-25  | 25M.     | 63.5mm | 15mm   | 16mm   | 25mm   | 15     | 1    | 50mm | PET      |
| PET 146-20 | 20ML     | 49.5mm | 12.3mm | 13mm   | 23.5mm | 1      | 1    | 36mm | PET      |
| PET 56-15  | 15ML     | 46mm   | 13mm   | 13mm   | 23.2mm | 1      | 17.  | 36mm | PET      |
| PET 113-13 | IOML     | 40.7mm | 13mm   | 13mm   | 23.2mm | 1      |      | 30mm | PET      |
| PET 45-8   | 8ML      | 40.2mm | 13mm   | 13mm   | 19mm   | 1      | 1    | 30mm | PET      |
| PET 119-5  | 5ML      | 30,3mm | II.2mm | 12mm   | 19mm   | 1      | 1    | 21mm | PET      |
| PET 53-6   | 6g       | 15.4mm | 8mm    | 28.5mm | 32.5mm | -1     |      | 10mm | PET      |

#### PACHAGING & D E S I G N CH SERIES

Baselin (series garing partie)

PE 78–50


PE 1–50

PET 20-235

Capacity (80ml 200ml 235ml 60ml 30ml Material PET

PET 160-180

PE 38-60



PET 4-30

PET 47-200

| Item        | ltem Capacity |         | В    | C    | D    | D W contains H |      | Material |  |
|-------------|---------------|---------|------|------|------|----------------|------|----------|--|
| PET 160-180 | 180ML         | 88.5mm  | 16mm | 24mm | 35mm | 1              | 23mm | PET      |  |
| PET 47-200  | 200ML         | 70mm    | 16mm | 24mm | 76mm | 1              | 20mm | PET      |  |
| PET 20-235  | 235ML         | 100.5mm | 16mm | 24mm | 58mm | 1              | 70mm | PET      |  |
| PE 1-50     | 50ML          | 7lmm    | 12mm | I9mm | 35mm | 1              | 45mm | PE       |  |
| PE 78-50    | 50ML          | 72mm    | 17mm | 24mm | 32mm | 7              | 58mm | PE       |  |
| PP 38-60    | 60ML          | 79mm    | 12mm | 15mm | 24mm | 34mm           | 60mm | PP       |  |
| PET 4-30    | SOML          | 65mm    | 15mm | 20mm | 30mm | 7              | 30mm | PET      |  |







| Item         | Capacity | А      | -B     | С      | D      | W   |      | Material |
|--------------|----------|--------|--------|--------|--------|-----|------|----------|
| PETG 109-100 | 100g     | 32.5mm | Hmm    | 68.5mm | 73mm   | 1   | 2lmm | PET PETG |
| PETG 142-60  | 50g      | 31.5mm | 10.5mm | 56mm   | 60mm   | - / | 20mm | PET PETG |
| PETG 145-30  | 30g      | 22.5mm | 10.5mm | 47mm   | 51.3mm | 1   | 14mm | PET PETG |
| PETG III-I5  | 15g      | 20mm   | 10mm   | 34mm   | 38mm   | 1   | 14mm | PET PETG |
| PETG 107-10  | 10g      | 15.5mm | 9,2mm  | 32mm   | 36mm   | 1.  | I0mm | PET PETG |
| PET 53-6     | 6g       | 15.5mm | 8mm    | 28.5mm | 32.5mm | 1   | 10mm | PET      |





PP 103-120



PP 58-150




PET 133-120-50



PETG 30-50

Capacity I50g I20g 50g 50g Material PET PP



| Item           | Capacity | apacity A B C D |        | O      | W      | Material |      |     |
|----------------|----------|-----------------|--------|--------|--------|----------|------|-----|
| PP 58-150      | 150g     | 34.5mm          | 12mm   | 77mm   | 80mm   | 1        | 22mm | PP  |
| PP 103-120     | 120g     | 39.5mm          | 12mm   | 69mm   | 72mm   | F        | 25mm | bb  |
| PET 133-120-50 | 120g 50g | 28.5mm          | II.5mm | 7lmm   | 76mm   | 1        | 18mm | PET |
| PETG30-50      | 50g      | 30.3mm          | 17.3mm | 60.5mm | 75,5mm | 1        | 19mm | PET |





